SEKOL

Lead the World...

600x1200mm | **GVT | PROACTIVE**



THE ELEGANCE OF SIMPLE ELEMENTS



Our company is a well-renowned and respected name in the ceramic tile industry. With years of expertise and excellence, the company has established its mark in providing high-quality and durable tiles for various purposes. Blackberry Tiles Company offers a wide range of tile options, including floor tiles, wall tiles, porcelain tiles, and more. Whether it is for homes, offices, or commercial spaces, the company ensures that they meet the diverse needs and preferences of their customers. With their exceptional craftsmanship and attention to detail, Blackberry Tiles Company guarantees customer satisfaction and long-lasting beauty for their products.

proactive finish

proactive
finish

Revamp Your Space
with Proactive Tiles

The tiles with Proactive effect are a stylish and sophisticated option for enhancing your space. With their unique charm and timeless appeal, these tiles will add a touch of elegance to any room. Whether you're looking to create a cozy interior aesthetic or a sleek modern design, these tiles are the perfect choice. Their durable construction ensures long-lasting beauty, while their rustic shining effect adds a touch of luxury.



600X
1200MM

Features

EASY TO CLEAN
The superior glaze of the collection makes the surfaces easy to clean and low maintenance.

STAIN RESISTANT
Do not worry about spills and stains with the high stain-resistant glaze of the premium Our surfaces.

SCRATCH RESISTANT
Enjoy new-looking surfaces for a very long time with highly scratch and abrasion-resistantsurfaces.

Proactive Effect

Technical Features

Easy to Maintain
UV Resistant
Water Proof
Resistant to Chemicals
Resistant to Acids
Frost Resistant
Prevents Bacterial Growrh
Heat Resistant
Fire Resistant
Non-Slip
Dimensional Stability
Ecological

STELLAR GREY

STELLAR BIANCO

STELLAR NERO

STELLAR BISQUE

STELLAR BROWN

STELLAR BEIGE

STELLAR TAN

SUPEREX CREAM

SUPEREX SAND

SUPEREX MOCHA

SUPEREX IRON

SUPEREX PEARL

EVA WHITE

INNA WHITE

NEO BEIGE

NEO GREY


OSCAR GOLD

600X
1200MM

proactive
finish

STELLAR GREY

Base



Decor

Base

Finish: **Proactive Matt**
Random: **4 Face**

600 x 1200mm

Anti-Slip | High Strength | Random Design | Eco Friendly | Floor & Wall



600X
1200MM

proactive
finish

STELLAR BIANCO



Base



Decor



Base

Finish: **Proactive Matt**
Random: **4 Face**

600 x 1200mm


Anti-Slip | High Strength | Random Design | Eco Friendly | Floor & Wall



600X
1200MM

proactive
finish


STELLAR NERO



Base



Decor



Base

Finish: **Proactive Matt**
Random: **4 Face**

600 x 1200mm

Anti-Slip | High Strength | Random Design | Eco Friendly | Floor & Wall




600X
1200MM

proactive
finish

STELLAR BISQUE



Base



Decor



Base

Finish: **Proactive Matt**
Random: **4 Face**

600 x 1200mm

Anti-Slip | High Strength | Random Design | Eco Friendly | Floor & Wall




600X
1200MM

proactive
finish

STELLAR BROWN

Base



Decor

Base

Finish: **Proactive Matt**
Random: **4 Face**

600 x 1200mm

Anti-Slip | High Strength | Random Design | Eco Friendly | Floor & Wall



600X
1200MM

proactive
finish

STELLAR BEIGE



Base



Decor



Base

Finish: **Proactive Matt**
Random: **4 Face**

Anti-Slip
High Strength
Random Design
Eco Friendly
Floor & Wall

600 x 1200mm


BREUER

600X
1200MM

proactive
finish

STELLAR TAN



Base



Decor



Base

Finish: **Proactive Matt**
Random: **4 Face**

Anti-Slip
High Strength
Random Design
Eco Friendly
Floor & Wall

600 x 1200mm




600X
1200MM

proactive
finish

SUPEREX CREAM



Base



Decor



Base

Finish: **Proactive Matt**
Random: **4 Face**

600 x 1200mm

Anti-Slip | High Strength | Random Design | Eco Friendly | Floor & Wall


TURKEY
TURKEY
TURKEY
ADOBE PHOTOSHOP

600X
1200MM

proactive
finish

SUPEREX SAND



Base



Decor



Base

Finish: **Proactive Matt**
Random: **4 Face**

Anti-Slip
High Strength
Random Design
Eco Friendly
Floor & Wall

600 x 1200mm



600X
1200MM

proactive
finish

SUPEREX MOCHA



Base



Decor



Base

Finish: **Proactive Matt**
Random: **4 Face**

600 x 1200mm

Anti-Slip | High Strength | Random Design | Eco Friendly | Floor & Wall



600X
1200MM

proactive
finish

SUPEREX IRON



Base



Decor



Base

Finish: **Proactive Matt**
Random: **4 Face**

600 x 1200mm

Anti-Slip | High Strength | Random Design | Eco Friendly | Floor & Wall


PARK
AVENUE

600X
1200MM

proactive
finish

SUPEREX PEARL



Base



Decor



Base

Finish: **Proactive Matt**
Random: **4 Face**

Anti-Slip
High Strength
Random Design
Eco Friendly
Floor & Wall

600 x 1200mm




600X
1200MM

proactive
finish

EVA WHITE



Base



Decor



Base

Finish: **Proactive Matt**
Random: **9 Face**

600 x 1200mm

Anti-Slip | High Strength | Random Design | Eco Friendly | Floor & Wall



600X
1200MM

proactive
finish

INNA WHITE



Base



Decor



Base

Finish: **Proactive Matt**
Random: **3 Face**

600 x 1200mm

Anti-Slip | High Strength | Random Design | Eco Friendly | Floor & Wall




600X
1200MM

proactive
finish

NEO BEIGE

Base



Decor

Base

Finish: **Proactive Matt**
Random: **4 Face**

600 x 1200mm

Anti-Slip | High Strength | Random Design | Eco Friendly | Floor & Wall



600X
1200MM

proactive
finish

NEO GREY



Base



Decor



Base

Finish: **Proactive Matt**
Random: **4 Face**

600 x 1200mm

Anti-Slip | High Strength | Random Design | Eco Friendly | Floor & Wall



600X
1200MM

proactive
finish

OSCAR GOLD



Base



Decor



Base

Finish: **Proactive Matt**
Random: **6 Face**

600 x 1200mm

Anti-Slip | High Strength | Random Design | Eco Friendly | Floor & Wall



TECHNICAL SPECIFICATION

PROPERTIES	TEST EN: 14411 : 2016 (GROUP BLA.) ANNEX - G STANDARD AS PER ISO 13006 : 2018	RESULT	TESTING METHOD
Dimention and Surface Quality			
Deviation in Length	± 1 mm	0.00 - 0.10mm	EN ISO 10545 - 2
Deviation in Width	± 1 mm	0.00 - 0.10mm	EN ISO 10545 - 2
Deviation in Thickness	± 0.5mm	0.00 - 0.18mm	EN ISO 10545 - 2
Straightness of Sides	± 0.8mm	0.12 - 0.14mm	EN ISO 10545 - 2
Rectangularity	± 0.8mm	0.14 - 0.16mm	EN ISO 10545 - 2
Surface Flatness	± 1.8mm	0.00 - 0.15mm	EN ISO 10545 - 2
Surface quality	95%	100% free from defects	EN ISO 10545 - 2
Physical Property			
Water Absorption %	≤ 0.500%	0.020%	EN ISO 10545 - 3
Breaking Strength N	≥ 1300	2255.52N	EN ISO 10545 - 4
Modulus of Rupture (MOR) N/mm2	35	50.34N/mm²	EN ISO 10545 - 4
Resistance to surface abrasion		PEI Class - IV 2100 Revolu□on pass	EN ISO 10545 - 7
Coefficient of Linear Thermal Expansion	9 x 10 6 Max	5.23 x 10 6	EN ISO 10545 - 8
Thermal Shock Resistance	10 cycle Min	confirm	EN ISO 10545 - 9
Crazing Resistance	No crazin in two cycle	confirm	EN ISO 10545 - 11
Moisture Expansion (mm/mm)	0.02 mm/m Max.	0.00 mm/m Max.	EN ISO 10545 - 10
Impact Resistance	0.55 Min.	0.58	EN ISO 10545 - 5
Scrach hardness of Surface (mohs scale)	5 moh's scal	5 moh's	IS 13630 - 13
Bulk density (g/cc)	2.2 Min.	2.2913 g/cc	EN ISO 10545 - 3
Chemical Property			
Resistance Stain	Min Class - 3	Min Class - 5	EN ISO 10545 - 14
Resistance to Low Concentration of Acid & Alkali	Min Class - GLC	Class - GLA	EN ISO 10545 - 13
Resistance to High Concentration of Acid & Alkali	Min Class - GHC	Class - GHA	EN ISO 10545 - 13
Resistance to house chemical	Min Class - GC	Class - GA	EN ISO 10545 - 13
Resistance to swimming pool salt	Min Class - GC	Class - GA	EN ISO 10545 - 13
Lead and Cadium Release	≤0.1 mg/dm²	0.00 mg/dm²	EN ISO 10545 - 15