

EXCLUSIVE QUARTZ KITCHEN SINK









Dear Customer,

We invite you to experience the delightful amalgamation of art and technology. Come and learn about the exclusive range of composite quartz kitchen sink made with high precision and absolute perfection.

India's first ever Quartz Kitchen Sink enhanced with Shine Lock Technology that maintains the natural shine of the Surface even after intensive use.

The manufactured Quartz Kitchen Sink fits at every premises, whether it is a 5-Star Hotel or an Elegant Bungalow and even a small yet Stylish Studio Apartment. We provide colors, size and surface that fits your choice.

So, explore your taste of luxury...

Installation





FLUSH MOUNT

Features of Quartz Kitchen Sink



Range of Colors













Lasting







High Durability

Resistant

Shine Lock Technology

INDEX

PRIME

DOVEL

CRYSTEL

PLATINIUM

MARVEL





SIZE :18X16 inch

WHIGHT:10 kg(Approx)

MRP: Granite Metalic 5299/- 6399/-


Installation

















SIZE :21X18 inch

WHIGHT:10 kg(Approx)

MRP: Granite Metalic 7699/-


Installation

















SIZE :24X18 inch

WHIGHT:11.3 kg(Approx)

MRP : Granite Metalic 6799/- 8299/-


Installation

















SIZE :36X18 inch

WHIGHT:16.3 kg(Approx)

MRP : Granite Metalic 12,299/- 14,799/-


Installation















SIZE :45X20 inch

WHIGHT:28 kg(Approx)


Installation

















COLOR / SHADE

GRANITE SERIES



WHITE

SLATE



IVORY



REDMOON

METALIC SERIES









BLACK








Trace the sink outline on the countertop (do not cut along this line.




Draw a line 1 cm inside the sink outline.



Measure the cut-out line you just drew and compare to all dimensions (double check)




Using a 2" hole saw, Drill a pilot hole inside the cutting line.



Using a jigsaw, cut along the inside line to cut the opening in the countertop.



With sink in the upside down position, place a continuous and generous bead of silicone sealant around the entire perimeter of the rim. This serves as a watertight seal.



Lift sink, turn face up and lower into the countertop cutout opening. Wipe excess sealant from perimeter with a wet cloth





DRILLING TAP HOLE Invert the Sink, Use the marking to Drill the Hole with Wood Cutting Bit



Disclaimer:

The Colours / Shade shown of sinks in this catalogue are purely illustrative and limited to printing process. Please refer actual sample before final selection. In case of any complaint, it should be brought to our Dealer notice before laying the sink. All sizes/prices are subject to change without prior notice.

Please Refer MM size before Installation.

All specifications are approximate and can vary in actual product. All Product shown is Identical and may vary from the actual product. This catalogue super seeds all previous catalogues. All products shown are not part of standard offering & props depicted are for aesthetics purpose only. Subject to Morbi (India) Jurisdiction.



8-A National Highway, Sartanpar Road, Sartanpar, Behind Slim Tiles Pvt Ltd, Morbi, Gujarat, 363642, India.

www.sekoltiles.comsekoltiles@gmail.com

+91 97264 18181 +91 97264 18189